

Ihre Schätzung war: -10

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	34.31	34.72	35.14	35.56	35.97	36.39	36.80	37.22	37.64	38.05	38.47	38.88	39.30	39.72	40.13	40.55	40.96	41.38	41.80	42.21	42.63
90 – 95%	33.16	33.58	34.00	34.41	34.83	35.24	35.66	36.08	36.49	36.91	37.32	37.74	38.16	38.57	38.99	39.40	39.82	40.24	40.65	41.07	41.48
85 – 90%	32.02	32.44	32.85	33.27	33.68	34.10	34.52	34.93	35.35	35.76	36.18	36.60	37.01	37.43	37.84	38.26	38.68	39.09	39.51	39.92	40.34
80 – 85%	30.88	31.29	31.71	32.12	32.54	32.96	33.37	33.79	34.20	34.62	35.04	35.45	35.87	36.28	36.70	37.12	37.53	37.95	38.36	38.78	39.20
75 – 80%	29.73	30.15	30.56	30.98	31.40	31.81	32.23	32.64	33.06	33.48	33.89	34.31	34.72	35.14	35.56	35.97	36.39	36.80	37.22	37.64	38.05
70 – 75%	28.59	29.00	29.42	29.84	30.25	30.67	31.08	31.50	31.92	32.33	32.75	33.16	33.58	34.00	34.41	34.83	35.24	35.66	36.08	36.49	36.91
65 – 70%	27.44	27.86	28.28	28.69	29.11	29.52	29.94	30.36	30.77	31.19	31.60	32.02	32.44	32.85	33.27	33.68	34.10	34.52	34.93	35.35	35.76
60 – 65%	26.30	26.72	27.13	27.55	27.96	28.38	28.80	29.21	29.63	30.04	30.46	30.88	31.29	31.71	32.12	32.54	32.96	33.37	33.79	34.20	34.62
55 – 60%	25.16	25.57	25.99	26.40	26.82	27.24	27.65	28.07	28.48	28.90	29.32	29.73	30.15	30.56	30.98	31.40	31.81	32.23	32.64	33.06	33.48
50 – 55%	24.01	24.43	24.84	25.26	25.68	26.09	26.51	26.92	27.34	27.76	28.17	28.59	29.00	29.42	29.84	30.25	30.67	31.08	31.50	31.92	32.33
45 – 50%	22.87	23.28	23.70	24.12	24.53	24.95	25.36	25.78	26.20	26.61	27.03	27.44	27.86	28.28	28.69	29.11	29.52	29.94	30.36	30.77	31.19
40 – 45%	21.72	22.14	22.56	22.97	23.39	23.80	24.22	24.64	25.05	25.47	25.88	26.30	26.72	27.13	27.55	27.96	28.38	28.80	29.21	29.63	30.04
35 – 40%	20.58	21.00	21.41	21.83	22.24	22.66	23.08	23.49	23.91	24.32	24.74	25.16	25.57	25.99	26.40	26.82	27.24	27.65	28.07	28.48	28.90
30 – 35%	19.44	19.85	20.27	20.68	21.10	21.52	21.93	22.35	22.76	23.18	23.60	24.01	24.43	24.84	25.26	25.68	26.09	26.51	26.92	27.34	27.76
25 – 30%	18.29	18.71	19.12	19.54	19.96	20.37	20.79	21.20	21.62	22.04	22.45	22.87	23.28	23.70	24.12	24.53	24.95	25.36	25.78	26.20	26.61
20 – 25%	17.15	17.56	17.98	18.40	18.81	19.23	19.64	20.06	20.48	20.89	21.31	21.72	22.14	22.56	22.97	23.39	23.80	24.22	24.64	25.05	25.47
15 – 20%	16.00	16.42	16.84	17.25	17.67	18.08	18.50	18.92	19.33	19.75	20.16	20.58	21.00	21.41	21.83	22.24	22.66	23.08	23.49	23.91	24.32
10 – 15%	14.86	15.28	15.69	16.11	16.52	16.94	17.36	17.77	18.19	18.60	19.02	19.44	19.85	20.27	20.68	21.10	21.52	21.93	22.35	22.76	23.18
5 – 10%	13.72	14.13	14.55	14.96	15.38	15.80	16.21	16.63	17.04	17.46	17.88	18.29	18.71	19.12	19.54	19.96	20.37	20.79	21.20	21.62	22.04
0 – 5%	12.57	12.99	13.40	13.82	14.24	14.65	15.07	15.48	15.90	16.32	16.73	17.15	17.56	17.98	18.40	18.81	19.23	19.64	20.06	20.48	20.89

Ihre Schätzung war: -9

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	33.92	35.11	35.52	35.94	36.36	36.77	37.19	37.60	38.02	38.44	38.85	39.27	39.68	40.10	40.52	40.93	41.35	41.76	42.18	42.60	43.01
90 – 95%	32.78	33.96	34.38	34.80	35.21	35.63	36.04	36.46	36.88	37.29	37.71	38.12	38.54	38.96	39.37	39.79	40.20	40.62	41.04	41.45	41.87
85 – 90%	31.64	32.82	33.24	33.65	34.07	34.48	34.90	35.32	35.73	36.15	36.56	36.98	37.40	37.81	38.23	38.64	39.06	39.48	39.89	40.31	40.72
80 – 85%	30.49	31.68	32.09	32.51	32.92	33.34	33.76	34.17	34.59	35.00	35.42	35.84	36.25	36.67	37.08	37.50	37.92	38.33	38.75	39.16	39.58
75 – 80%	29.35	30.53	30.95	31.36	31.78	32.20	32.61	33.03	33.44	33.86	34.28	34.69	35.11	35.52	35.94	36.36	36.77	37.19	37.60	38.02	38.44
70 – 75%	28.20	29.39	29.80	30.22	30.64	31.05	31.47	31.88	32.30	32.72	33.13	33.55	33.96	34.38	34.80	35.21	35.63	36.04	36.46	36.88	37.29
65 – 70%	27.06	28.24	28.66	29.08	29.49	29.91	30.32	30.74	31.16	31.57	31.99	32.40	32.82	33.24	33.65	34.07	34.48	34.90	35.32	35.73	36.15
60 – 65%	25.92	27.10	27.52	27.93	28.35	28.76	29.18	29.60	30.01	30.43	30.84	31.26	31.68	32.09	32.51	32.92	33.34	33.76	34.17	34.59	35.00
55 – 60%	24.77	25.96	26.37	26.79	27.20	27.62	28.04	28.45	28.87	29.28	29.70	30.12	30.53	30.95	31.36	31.78	32.20	32.61	33.03	33.44	33.86
50 – 55%	23.63	24.81	25.23	25.64	26.06	26.48	26.89	27.31	27.72	28.14	28.56	28.97	29.39	29.80	30.22	30.64	31.05	31.47	31.88	32.30	32.72
45 – 50%	22.48	23.67	24.08	24.50	24.92	25.33	25.75	26.16	26.58	27.00	27.41	27.83	28.24	28.66	29.08	29.49	29.91	30.32	30.74	31.16	31.57
40 – 45%	21.34	22.52	22.94	23.36	23.77	24.19	24.60	25.02	25.44	25.85	26.27	26.68	27.10	27.52	27.93	28.35	28.76	29.18	29.60	30.01	30.43
35 – 40%	20.20	21.38	21.80	22.21	22.63	23.04	23.46	23.88	24.29	24.71	25.12	25.54	25.96	26.37	26.79	27.20	27.62	28.04	28.45	28.87	29.28
30 – 35%	19.05	20.24	20.65	21.07	21.48	21.90	22.32	22.73	23.15	23.56	23.98	24.40	24.81	25.23	25.64	26.06	26.48	26.89	27.31	27.72	28.14
25 – 30%	17.91	19.09	19.51	19.92	20.34	20.76	21.17	21.59	22.00	22.42	22.84	23.25	23.67	24.08	24.50	24.92	25.33	25.75	26.16	26.58	27.00
20 – 25%	16.76	17.95	18.36	18.78	19.20	19.61	20.03	20.44	20.86	21.28	21.69	22.11	22.52	22.94	23.36	23.77	24.19	24.60	25.02	25.44	25.85
15 – 20%	15.62	16.80	17.22	17.64	18.05	18.47	18.88	19.30	19.72	20.13	20.55	20.96	21.38	21.80	22.21	22.63	23.04	23.46	23.88	24.29	24.71
10 – 15%	14.48	15.66	16.08	16.49	16.91	17.32	17.74	18.16	18.57	18.99	19.40	19.82	20.24	20.65	21.07	21.48	21.90	22.32	22.73	23.15	23.56
5 – 10%	13.33	14.52	14.93	15.35	15.76	16.18	16.60	17.01	17.43	17.84	18.26	18.68	19.09	19.51	19.92	20.34	20.76	21.17	21.59	22.00	22.42
0 – 5%	12.19	13.37	13.79	14.20	14.62	15.04	15.45	15.87	16.28	16.70	17.12	17.53	17.95	18.36	18.78	19.20	19.61	20.03	20.44	20.86	21.28

Ihre Schätzung war: -8

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	33.54	34.72	35.91	36.32	36.74	37.16	37.57	37.99	38.40	38.82	39.24	39.65	40.07	40.48	40.90	41.32	41.73	42.15	42.56	42.98	43.40
90 – 95%	32.40	33.58	34.76	35.18	35.60	36.01	36.43	36.84	37.26	37.68	38.09	38.51	38.92	39.34	39.76	40.17	40.59	41.00	41.42	41.84	42.25
85 – 90%	31.25	32.44	33.62	34.04	34.45	34.87	35.28	35.70	36.12	36.53	36.95	37.36	37.78	38.20	38.61	39.03	39.44	39.86	40.28	40.69	41.11
80 – 85%	30.11	31.29	32.48	32.89	33.31	33.72	34.14	34.56	34.97	35.39	35.80	36.22	36.64	37.05	37.47	37.88	38.30	38.72	39.13	39.55	39.96
75 – 80%	28.96	30.15	31.33	31.75	32.16	32.58	33.00	33.41	33.83	34.24	34.66	35.08	35.49	35.91	36.32	36.74	37.16	37.57	37.99	38.40	38.82
70 – 75%	27.82	29.00	30.19	30.60	31.02	31.44	31.85	32.27	32.68	33.10	33.52	33.93	34.35	34.76	35.18	35.60	36.01	36.43	36.84	37.26	37.68
65 – 70%	26.68	27.86	29.04	29.46	29.88	30.29	30.71	31.12	31.54	31.96	32.37	32.79	33.20	33.62	34.04	34.45	34.87	35.28	35.70	36.12	36.53
60 – 65%	25.53	26.72	27.90	28.32	28.73	29.15	29.56	29.98	30.40	30.81	31.23	31.64	32.06	32.48	32.89	33.31	33.72	34.14	34.56	34.97	35.39
55 – 60%	24.39	25.57	26.76	27.17	27.59	28.00	28.42	28.84	29.25	29.67	30.08	30.50	30.92	31.33	31.75	32.16	32.58	33.00	33.41	33.83	34.24
50 – 55%	23.24	24.43	25.61	26.03	26.44	26.86	27.28	27.69	28.11	28.52	28.94	29.36	29.77	30.19	30.60	31.02	31.44	31.85	32.27	32.68	33.10
45 – 50%	22.10	23.28	24.47	24.88	25.30	25.72	26.13	26.55	26.96	27.38	27.80	28.21	28.63	29.04	29.46	29.88	30.29	30.71	31.12	31.54	31.96
40 – 45%	20.96	22.14	23.32	23.74	24.16	24.57	24.99	25.40	25.82	26.24	26.65	27.07	27.48	27.90	28.32	28.73	29.15	29.56	29.98	30.40	30.81
35 – 40%	19.81	21.00	22.18	22.60	23.01	23.43	23.84	24.26	24.68	25.09	25.51	25.92	26.34	26.76	27.17	27.59	28.00	28.42	28.84	29.25	29.67
30 – 35%	18.67	19.85	21.04	21.45	21.87	22.28	22.70	23.12	23.53	23.95	24.36	24.78	25.20	25.61	26.03	26.44	26.86	27.28	27.69	28.11	28.52
25 – 30%	17.52	18.71	19.89	20.31	20.72	21.14	21.56	21.97	22.39	22.80	23.22	23.64	24.05	24.47	24.88	25.30	25.72	26.13	26.55	26.96	27.38
20 – 25%	16.38	17.56	18.75	19.16	19.58	20.00	20.41	20.83	21.24	21.66	22.08	22.49	22.91	23.32	23.74	24.16	24.57	24.99	25.40	25.82	26.24
15 – 20%	15.24	16.42	17.60	18.02	18.44	18.85	19.27	19.68	20.10	20.52	20.93	21.35	21.76	22.18	22.60	23.01	23.43	23.84	24.26	24.68	25.09
10 – 15%	14.09	15.28	16.46	16.88	17.29	17.71	18.12	18.54	18.96	19.37	19.79	20.20	20.62	21.04	21.45	21.87	22.28	22.70	23.12	23.53	23.95
5 – 10%	12.95	14.13	15.32	15.73	16.15	16.56	16.98	17.40	17.81	18.23	18.64	19.06	19.48	19.89	20.31	20.72	21.14	21.56	21.97	22.39	22.80
0 – 5%	11.80	12.99	14.17	14.59	15.00	15.42	15.84	16.25	16.67	17.08	17.50	17.92	18.33	18.75	19.16	19.58	20.00	20.41	20.83	21.24	21.66

Ihre Schätzung war: -7

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	33.16	34.34	35.52	36.71	37.12	37.54	37.96	38.37	38.79	39.20	39.62	40.04	40.45	40.87	41.28	41.70	42.12	42.53	42.95	43.36	43.78
90 – 95%	32.01	33.20	34.38	35.56	35.98	36.40	36.81	37.23	37.64	38.06	38.48	38.89	39.31	39.72	40.14	40.56	40.97	41.39	41.80	42.22	42.64
85 – 90%	30.87	32.05	33.24	34.42	34.84	35.25	35.67	36.08	36.50	36.92	37.33	37.75	38.16	38.58	39.00	39.41	39.83	40.24	40.66	41.08	41.49
80 – 85%	29.72	30.91	32.09	33.28	33.69	34.11	34.52	34.94	35.36	35.77	36.19	36.60	37.02	37.44	37.85	38.27	38.68	39.10	39.52	39.93	40.35
75 – 80%	28.58	29.76	30.95	32.13	32.55	32.96	33.38	33.80	34.21	34.63	35.04	35.46	35.88	36.29	36.71	37.12	37.54	37.96	38.37	38.79	39.20
70 – 75%	27.44	28.62	29.80	30.99	31.40	31.82	32.24	32.65	33.07	33.48	33.90	34.32	34.73	35.15	35.56	35.98	36.40	36.81	37.23	37.64	38.06
65 – 70%	26.29	27.48	28.66	29.84	30.26	30.68	31.09	31.51	31.92	32.34	32.76	33.17	33.59	34.00	34.42	34.84	35.25	35.67	36.08	36.50	36.92
60 – 65%	25.15	26.33	27.52	28.70	29.12	29.53	29.95	30.36	30.78	31.20	31.61	32.03	32.44	32.86	33.28	33.69	34.11	34.52	34.94	35.36	35.77
55 – 60%	24.00	25.19	26.37	27.56	27.97	28.39	28.80	29.22	29.64	30.05	30.47	30.88	31.30	31.72	32.13	32.55	32.96	33.38	33.80	34.21	34.63
50 – 55%	22.86	24.04	25.23	26.41	26.83	27.24	27.66	28.08	28.49	28.91	29.32	29.74	30.16	30.57	30.99	31.40	31.82	32.24	32.65	33.07	33.48
45 – 50%	21.72	22.90	24.08	25.27	25.68	26.10	26.52	26.93	27.35	27.76	28.18	28.60	29.01	29.43	29.84	30.26	30.68	31.09	31.51	31.92	32.34
40 – 45%	20.57	21.76	22.94	24.12	24.54	24.96	25.37	25.79	26.20	26.62	27.04	27.45	27.87	28.28	28.70	29.12	29.53	29.95	30.36	30.78	31.20
35 – 40%	19.43	20.61	21.80	22.98	23.40	23.81	24.23	24.64	25.06	25.48	25.89	26.31	26.72	27.14	27.56	27.97	28.39	28.80	29.22	29.64	30.05
30 – 35%	18.28	19.47	20.65	21.84	22.25	22.67	23.08	23.50	23.92	24.33	24.75	25.16	25.58	26.00	26.41	26.83	27.24	27.66	28.08	28.49	28.91
25 – 30%	17.14	18.32	19.51	20.69	21.11	21.52	21.94	22.36	22.77	23.19	23.60	24.02	24.44	24.85	25.27	25.68	26.10	26.52	26.93	27.35	27.76
20 – 25%	16.00	17.18	18.36	19.55	19.96	20.38	20.80	21.21	21.63	22.04	22.46	22.88	23.29	23.71	24.12	24.54	24.96	25.37	25.79	26.20	26.62
15 – 20%	14.85	16.04	17.22	18.40	18.82	19.24	19.65	20.07	20.48	20.90	21.32	21.73	22.15	22.56	22.98	23.40	23.81	24.23	24.64	25.06	25.48
10 – 15%	13.71	14.89	16.08	17.26	17.68	18.09	18.51	18.92	19.34	19.76	20.17	20.59	21.00	21.42	21.84	22.25	22.67	23.08	23.50	23.92	24.33
5 – 10%	12.56	13.75	14.93	16.12	16.53	16.95	17.36	17.78	18.20	18.61	19.03	19.44	19.86	20.28	20.69	21.11	21.52	21.94	22.36	22.77	23.19
0 – 5%	11.42	12.60	13.79	14.97	15.39	15.80	16.22	16.64	17.05	17.47	17.88	18.30	18.72	19.13	19.55	19.96	20.38	20.80	21.21	21.63	22.04

Ihre Schätzung war: -6

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	32.77	33.96	35.14	36.32	37.51	37.92	38.34	38.76	39.17	39.59	40.00	40.42	40.84	41.25	41.67	42.08	42.50	42.92	43.33	43.75	44.16
90 – 95%	31.63	32.81	34.00	35.18	36.36	36.78	37.20	37.61	38.03	38.44	38.86	39.28	39.69	40.11	40.52	40.94	41.36	41.77	42.19	42.60	43.02
85 – 90%	30.48	31.67	32.85	34.04	35.22	35.64	36.05	36.47	36.88	37.30	37.72	38.13	38.55	38.96	39.38	39.80	40.21	40.63	41.04	41.46	41.88
80 – 85%	29.34	30.52	31.71	32.89	34.08	34.49	34.91	35.32	35.74	36.16	36.57	36.99	37.40	37.82	38.24	38.65	39.07	39.48	39.90	40.32	40.73
75 – 80%	28.20	29.38	30.56	31.75	32.93	33.35	33.76	34.18	34.60	35.01	35.43	35.84	36.26	36.68	37.09	37.51	37.92	38.34	38.76	39.17	39.59
70 – 75%	27.05	28.24	29.42	30.60	31.79	32.20	32.62	33.04	33.45	33.87	34.28	34.70	35.12	35.53	35.95	36.36	36.78	37.20	37.61	38.03	38.44
65 – 70%	25.91	27.09	28.28	29.46	30.64	31.06	31.48	31.89	32.31	32.72	33.14	33.56	33.97	34.39	34.80	35.22	35.64	36.05	36.47	36.88	37.30
60 – 65%	24.76	25.95	27.13	28.32	29.50	29.92	30.33	30.75	31.16	31.58	32.00	32.41	32.83	33.24	33.66	34.08	34.49	34.91	35.32	35.74	36.16
55 – 60%	23.62	24.80	25.99	27.17	28.36	28.77	29.19	29.60	30.02	30.44	30.85	31.27	31.68	32.10	32.52	32.93	33.35	33.76	34.18	34.60	35.01
50 – 55%	22.48	23.66	24.84	26.03	27.21	27.63	28.04	28.46	28.88	29.29	29.71	30.12	30.54	30.96	31.37	31.79	32.20	32.62	33.04	33.45	33.87
45 – 50%	21.33	22.52	23.70	24.88	26.07	26.48	26.90	27.32	27.73	28.15	28.56	28.98	29.40	29.81	30.23	30.64	31.06	31.48	31.89	32.31	32.72
40 – 45%	20.19	21.37	22.56	23.74	24.92	25.34	25.76	26.17	26.59	27.00	27.42	27.84	28.25	28.67	29.08	29.50	29.92	30.33	30.75	31.16	31.58
35 – 40%	19.04	20.23	21.41	22.60	23.78	24.20	24.61	25.03	25.44	25.86	26.28	26.69	27.11	27.52	27.94	28.36	28.77	29.19	29.60	30.02	30.44
30 – 35%	17.90	19.08	20.27	21.45	22.64	23.05	23.47	23.88	24.30	24.72	25.13	25.55	25.96	26.38	26.80	27.21	27.63	28.04	28.46	28.88	29.29
25 – 30%	16.76	17.94	19.12	20.31	21.49	21.91	22.32	22.74	23.16	23.57	23.99	24.40	24.82	25.24	25.65	26.07	26.48	26.90	27.32	27.73	28.15
20 – 25%	15.61	16.80	17.98	19.16	20.35	20.76	21.18	21.60	22.01	22.43	22.84	23.26	23.68	24.09	24.51	24.92	25.34	25.76	26.17	26.59	27.00
15 – 20%	14.47	15.65	16.84	18.02	19.20	19.62	20.04	20.45	20.87	21.28	21.70	22.12	22.53	22.95	23.36	23.78	24.20	24.61	25.03	25.44	25.86
10 – 15%	13.32	14.51	15.69	16.88	18.06	18.48	18.89	19.31	19.72	20.14	20.56	20.97	21.39	21.80	22.22	22.64	23.05	23.47	23.88	24.30	24.72
5 – 10%	12.18	13.36	14.55	15.73	16.92	17.33	17.75	18.16	18.58	19.00	19.41	19.83	20.24	20.66	21.08	21.49	21.91	22.32	22.74	23.16	23.57
0 – 5%	11.04	12.22	13.40	14.59	15.77	16.19	16.60	17.02	17.44	17.85	18.27	18.68	19.10	19.52	19.93	20.35	20.76	21.18	21.60	22.01	22.43

Ihre Schätzung war: -5

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	32.39	33.57	34.76	35.94	37.12	38.31	38.72	39.14	39.56	39.97	40.39	40.80	41.22	41.64	42.05	42.47	42.88	43.30	43.72	44.13	44.55
90 – 95%	31.24	32.43	33.61	34.80	35.98	37.16	37.58	38.00	38.41	38.83	39.24	39.66	40.08	40.49	40.91	41.32	41.74	42.16	42.57	42.99	43.40
85 – 90%	30.10	31.28	32.47	33.65	34.84	36.02	36.44	36.85	37.27	37.68	38.10	38.52	38.93	39.35	39.76	40.18	40.60	41.01	41.43	41.84	42.26
80 – 85%	28.96	30.14	31.32	32.51	33.69	34.88	35.29	35.71	36.12	36.54	36.96	37.37	37.79	38.20	38.62	39.04	39.45	39.87	40.28	40.70	41.12
75 – 80%	27.81	29.00	30.18	31.36	32.55	33.73	34.15	34.56	34.98	35.40	35.81	36.23	36.64	37.06	37.48	37.89	38.31	38.72	39.14	39.56	39.97
70 – 75%	26.67	27.85	29.04	30.22	31.40	32.59	33.00	33.42	33.84	34.25	34.67	35.08	35.50	35.92	36.33	36.75	37.16	37.58	38.00	38.41	38.83
65 – 70%	25.52	26.71	27.89	29.08	30.26	31.44	31.86	32.28	32.69	33.11	33.52	33.94	34.36	34.77	35.19	35.60	36.02	36.44	36.85	37.27	37.68
60 – 65%	24.38	25.56	26.75	27.93	29.12	30.30	30.72	31.13	31.55	31.96	32.38	32.80	33.21	33.63	34.04	34.46	34.88	35.29	35.71	36.12	36.54
55 – 60%	23.24	24.42	25.60	26.79	27.97	29.16	29.57	29.99	30.40	30.82	31.24	31.65	32.07	32.48	32.90	33.32	33.73	34.15	34.56	34.98	35.40
50 – 55%	22.09	23.28	24.46	25.64	26.83	28.01	28.43	28.84	29.26	29.68	30.09	30.51	30.92	31.34	31.76	32.17	32.59	33.00	33.42	33.84	34.25
45 – 50%	20.95	22.13	23.32	24.50	25.68	26.87	27.28	27.70	28.12	28.53	28.95	29.36	29.78	30.20	30.61	31.03	31.44	31.86	32.28	32.69	33.11
40 – 45%	19.80	20.99	22.17	23.36	24.54	25.72	26.14	26.56	26.97	27.39	27.80	28.22	28.64	29.05	29.47	29.88	30.30	30.72	31.13	31.55	31.96
35 – 40%	18.66	19.84	21.03	22.21	23.40	24.58	25.00	25.41	25.83	26.24	26.66	27.08	27.49	27.91	28.32	28.74	29.16	29.57	29.99	30.40	30.82
30 – 35%	17.52	18.70	19.88	21.07	22.25	23.44	23.85	24.27	24.68	25.10	25.52	25.93	26.35	26.76	27.18	27.60	28.01	28.43	28.84	29.26	29.68
25 – 30%	16.37	17.56	18.74	19.92	21.11	22.29	22.71	23.12	23.54	23.96	24.37	24.79	25.20	25.62	26.04	26.45	26.87	27.28	27.70	28.12	28.53
20 – 25%	15.23	16.41	17.60	18.78	19.96	21.15	21.56	21.98	22.40	22.81	23.23	23.64	24.06	24.48	24.89	25.31	25.72	26.14	26.56	26.97	27.39
15 – 20%	14.08	15.27	16.45	17.64	18.82	20.00	20.42	20.84	21.25	21.67	22.08	22.50	22.92	23.33	23.75	24.16	24.58	25.00	25.41	25.83	26.24
10 – 15%	12.94	14.12	15.31	16.49	17.68	18.86	19.28	19.69	20.11	20.52	20.94	21.36	21.77	22.19	22.60	23.02	23.44	23.85	24.27	24.68	25.10
5 – 10%	11.80	12.98	14.16	15.35	16.53	17.72	18.13	18.55	18.96	19.38	19.80	20.21	20.63	21.04	21.46	21.88	22.29	22.71	23.12	23.54	23.96
0 – 5%	10.65	11.84	13.02	14.20	15.39	16.57	16.99	17.40	17.82	18.24	18.65	19.07	19.48	19.90	20.32	20.73	21.15	21.56	21.98	22.40	22.81

Ihre Schätzung war: -4

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	32.00	33.19	34.37	35.56	36.74	37.92	39.11	39.52	39.94	40.36	40.77	41.19	41.60	42.02	42.44	42.85	43.27	43.68	44.10	44.52	44.93
90 – 95%	30.86	32.04	33.23	34.41	35.60	36.78	37.96	38.38	38.80	39.21	39.63	40.04	40.46	40.88	41.29	41.71	42.12	42.54	42.96	43.37	43.79
85 – 90%	29.72	30.90	32.08	33.27	34.45	35.64	36.82	37.24	37.65	38.07	38.48	38.90	39.32	39.73	40.15	40.56	40.98	41.40	41.81	42.23	42.64
80 – 85%	28.57	29.76	30.94	32.12	33.31	34.49	35.68	36.09	36.51	36.92	37.34	37.76	38.17	38.59	39.00	39.42	39.84	40.25	40.67	41.08	41.50
75 – 80%	27.43	28.61	29.80	30.98	32.16	33.35	34.53	34.95	35.36	35.78	36.20	36.61	37.03	37.44	37.86	38.28	38.69	39.11	39.52	39.94	40.36
70 – 75%	26.28	27.47	28.65	29.84	31.02	32.20	33.39	33.80	34.22	34.64	35.05	35.47	35.88	36.30	36.72	37.13	37.55	37.96	38.38	38.80	39.21
65 – 70%	25.14	26.32	27.51	28.69	29.88	31.06	32.24	32.66	33.08	33.49	33.91	34.32	34.74	35.16	35.57	35.99	36.40	36.82	37.24	37.65	38.07
60 – 65%	24.00	25.18	26.36	27.55	28.73	29.92	31.10	31.52	31.93	32.35	32.76	33.18	33.60	34.01	34.43	34.84	35.26	35.68	36.09	36.51	36.92
55 – 60%	22.85	24.04	25.22	26.40	27.59	28.77	29.96	30.37	30.79	31.20	31.62	32.04	32.45	32.87	33.28	33.70	34.12	34.53	34.95	35.36	35.78
50 – 55%	21.71	22.89	24.08	25.26	26.44	27.63	28.81	29.23	29.64	30.06	30.48	30.89	31.31	31.72	32.14	32.56	32.97	33.39	33.80	34.22	34.64
45 – 50%	20.56	21.75	22.93	24.12	25.30	26.48	27.67	28.08	28.50	28.92	29.33	29.75	30.16	30.58	31.00	31.41	31.83	32.24	32.66	33.08	33.49
40 – 45%	19.42	20.60	21.79	22.97	24.16	25.34	26.52	26.94	27.36	27.77	28.19	28.60	29.02	29.44	29.85	30.27	30.68	31.10	31.52	31.93	32.35
35 – 40%	18.28	19.46	20.64	21.83	23.01	24.20	25.38	25.80	26.21	26.63	27.04	27.46	27.88	28.29	28.71	29.12	29.54	29.96	30.37	30.79	31.20
30 – 35%	17.13	18.32	19.50	20.68	21.87	23.05	24.24	24.65	25.07	25.48	25.90	26.32	26.73	27.15	27.56	27.98	28.40	28.81	29.23	29.64	30.06
25 – 30%	15.99	17.17	18.36	19.54	20.72	21.91	23.09	23.51	23.92	24.34	24.76	25.17	25.59	26.00	26.42	26.84	27.25	27.67	28.08	28.50	28.92
20 – 25%	14.84	16.03	17.21	18.40	19.58	20.76	21.95	22.36	22.78	23.20	23.61	24.03	24.44	24.86	25.28	25.69	26.11	26.52	26.94	27.36	27.77
15 – 20%	13.70	14.88	16.07	17.25	18.44	19.62	20.80	21.22	21.64	22.05	22.47	22.88	23.30	23.72	24.13	24.55	24.96	25.38	25.80	26.21	26.63
10 – 15%	12.56	13.74	14.92	16.11	17.29	18.48	19.66	20.08	20.49	20.91	21.32	21.74	22.16	22.57	22.99	23.40	23.82	24.24	24.65	25.07	25.48
5 – 10%	11.41	12.60	13.78	14.96	16.15	17.33	18.52	18.93	19.35	19.76	20.18	20.60	21.01	21.43	21.84	22.26	22.68	23.09	23.51	23.92	24.34
0 – 5%	10.27	11.45	12.64	13.82	15.00	16.19	17.37	17.79	18.20	18.62	19.04	19.45	19.87	20.28	20.70	21.12	21.53	21.95	22.36	22.78	23.20

Ihre Schätzung war: -3

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	31.62	32.80	33.99	35.17	36.36	37.54	38.72	39.91	40.32	40.74	41.16	41.57	41.99	42.40	42.82	43.24	43.65	44.07	44.48	44.90	45.32
90 – 95%	30.48	31.66	32.84	34.03	35.21	36.40	37.58	38.76	39.18	39.60	40.01	40.43	40.84	41.26	41.68	42.09	42.51	42.92	43.34	43.76	44.17
85 – 90%	29.33	30.52	31.70	32.88	34.07	35.25	36.44	37.62	38.04	38.45	38.87	39.28	39.70	40.12	40.53	40.95	41.36	41.78	42.20	42.61	43.03
80 – 85%	28.19	29.37	30.56	31.74	32.92	34.11	35.29	36.48	36.89	37.31	37.72	38.14	38.56	38.97	39.39	39.80	40.22	40.64	41.05	41.47	41.88
75 – 80%	27.04	28.23	29.41	30.60	31.78	32.96	34.15	35.33	35.75	36.16	36.58	37.00	37.41	37.83	38.24	38.66	39.08	39.49	39.91	40.32	40.74
70 – 75%	25.90	27.08	28.27	29.45	30.64	31.82	33.00	34.19	34.60	35.02	35.44	35.85	36.27	36.68	37.10	37.52	37.93	38.35	38.76	39.18	39.60
65 – 70%	24.76	25.94	27.12	28.31	29.49	30.68	31.86	33.04	33.46	33.88	34.29	34.71	35.12	35.54	35.96	36.37	36.79	37.20	37.62	38.04	38.45
60 – 65%	23.61	24.80	25.98	27.16	28.35	29.53	30.72	31.90	32.32	32.73	33.15	33.56	33.98	34.40	34.81	35.23	35.64	36.06	36.48	36.89	37.31
55 – 60%	22.47	23.65	24.84	26.02	27.20	28.39	29.57	30.76	31.17	31.59	32.00	32.42	32.84	33.25	33.67	34.08	34.50	34.92	35.33	35.75	36.16
50 – 55%	21.32	22.51	23.69	24.88	26.06	27.24	28.43	29.61	30.03	30.44	30.86	31.28	31.69	32.11	32.52	32.94	33.36	33.77	34.19	34.60	35.02
45 – 50%	20.18	21.36	22.55	23.73	24.92	26.10	27.28	28.47	28.88	29.30	29.72	30.13	30.55	30.96	31.38	31.80	32.21	32.63	33.04	33.46	33.88
40 – 45%	19.04	20.22	21.40	22.59	23.77	24.96	26.14	27.32	27.74	28.16	28.57	28.99	29.40	29.82	30.24	30.65	31.07	31.48	31.90	32.32	32.73
35 – 40%	17.89	19.08	20.26	21.44	22.63	23.81	25.00	26.18	26.60	27.01	27.43	27.84	28.26	28.68	29.09	29.51	29.92	30.34	30.76	31.17	31.59
30 – 35%	16.75	17.93	19.12	20.30	21.48	22.67	23.85	25.04	25.45	25.87	26.28	26.70	27.12	27.53	27.95	28.36	28.78	29.20	29.61	30.03	30.44
25 – 30%	15.60	16.79	17.97	19.16	20.34	21.52	22.71	23.89	24.31	24.72	25.14	25.56	25.97	26.39	26.80	27.22	27.64	28.05	28.47	28.88	29.30
20 – 25%	14.46	15.64	16.83	18.01	19.20	20.38	21.56	22.75	23.16	23.58	24.00	24.41	24.83	25.24	25.66	26.08	26.49	26.91	27.32	27.74	28.16
15 – 20%	13.32	14.50	15.68	16.87	18.05	19.24	20.42	21.60	22.02	22.44	22.85	23.27	23.68	24.10	24.52	24.93	25.35	25.76	26.18	26.60	27.01
10 – 15%	12.17	13.36	14.54	15.72	16.91	18.09	19.28	20.46	20.88	21.29	21.71	22.12	22.54	22.96	23.37	23.79	24.20	24.62	25.04	25.45	25.87
5 – 10%	11.03	12.21	13.40	14.58	15.76	16.95	18.13	19.32	19.73	20.15	20.56	20.98	21.40	21.81	22.23	22.64	23.06	23.48	23.89	24.31	24.72
0 – 5%	9.88	11.07	12.25	13.44	14.62	15.80	16.99	18.17	18.59	19.00	19.42	19.84	20.25	20.67	21.08	21.50	21.92	22.33	22.75	23.16	23.58

Ihre Schätzung war: -2

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	31.24	32.42	33.60	34.79	35.97	37.16	38.34	39.52	40.71	41.12	41.54	41.96	42.37	42.79	43.20	43.62	44.04	44.45	44.87	45.28	45.70
90 – 95%	30.09	31.28	32.46	33.64	34.83	36.01	37.20	38.38	39.56	39.98	40.40	40.81	41.23	41.64	42.06	42.48	42.89	43.31	43.72	44.14	44.56
85 – 90%	28.95	30.13	31.32	32.50	33.68	34.87	36.05	37.24	38.42	38.84	39.25	39.67	40.08	40.50	40.92	41.33	41.75	42.16	42.58	43.00	43.41
80 – 85%	27.80	28.99	30.17	31.36	32.54	33.72	34.91	36.09	37.28	37.69	38.11	38.52	38.94	39.36	39.77	40.19	40.60	41.02	41.44	41.85	42.27
75 – 80%	26.66	27.84	29.03	30.21	31.40	32.58	33.76	34.95	36.13	36.55	36.96	37.38	37.80	38.21	38.63	39.04	39.46	39.88	40.29	40.71	41.12
70 – 75%	25.52	26.70	27.88	29.07	30.25	31.44	32.62	33.80	34.99	35.40	35.82	36.24	36.65	37.07	37.48	37.90	38.32	38.73	39.15	39.56	39.98
65 – 70%	24.37	25.56	26.74	27.92	29.11	30.29	31.48	32.66	33.84	34.26	34.68	35.09	35.51	35.92	36.34	36.76	37.17	37.59	38.00	38.42	38.84
60 – 65%	23.23	24.41	25.60	26.78	27.96	29.15	30.33	31.52	32.70	33.12	33.53	33.95	34.36	34.78	35.20	35.61	36.03	36.44	36.86	37.28	37.69
55 – 60%	22.08	23.27	24.45	25.64	26.82	28.00	29.19	30.37	31.56	31.97	32.39	32.80	33.22	33.64	34.05	34.47	34.88	35.30	35.72	36.13	36.55
50 – 55%	20.94	22.12	23.31	24.49	25.68	26.86	28.04	29.23	30.41	30.83	31.24	31.66	32.08	32.49	32.91	33.32	33.74	34.16	34.57	34.99	35.40
45 – 50%	19.80	20.98	22.16	23.35	24.53	25.72	26.90	28.08	29.27	29.68	30.10	30.52	30.93	31.35	31.76	32.18	32.60	33.01	33.43	33.84	34.26
40 – 45%	18.65	19.84	21.02	22.20	23.39	24.57	25.76	26.94	28.12	28.54	28.96	29.37	29.79	30.20	30.62	31.04	31.45	31.87	32.28	32.70	33.12
35 – 40%	17.51	18.69	19.88	21.06	22.24	23.43	24.61	25.80	26.98	27.40	27.81	28.23	28.64	29.06	29.48	29.89	30.31	30.72	31.14	31.56	31.97
30 – 35%	16.36	17.55	18.73	19.92	21.10	22.28	23.47	24.65	25.84	26.25	26.67	27.08	27.50	27.92	28.33	28.75	29.16	29.58	30.00	30.41	30.83
25 – 30%	15.22	16.40	17.59	18.77	19.96	21.14	22.32	23.51	24.69	25.11	25.52	25.94	26.36	26.77	27.19	27.60	28.02	28.44	28.85	29.27	29.68
20 – 25%	14.08	15.26	16.44	17.63	18.81	20.00	21.18	22.36	23.55	23.96	24.38	24.80	25.21	25.63	26.04	26.46	26.88	27.29	27.71	28.12	28.54
15 – 20%	12.93	14.12	15.30	16.48	17.67	18.85	20.04	21.22	22.40	22.82	23.24	23.65	24.07	24.48	24.90	25.32	25.73	26.15	26.56	26.98	27.40
10 – 15%	11.79	12.97	14.16	15.34	16.52	17.71	18.89	20.08	21.26	21.68	22.09	22.51	22.92	23.34	23.76	24.17	24.59	25.00	25.42	25.84	26.25
5 – 10%	10.64	11.83	13.01	14.20	15.38	16.56	17.75	18.93	20.12	20.53	20.95	21.36	21.78	22.20	22.61	23.03	23.44	23.86	24.28	24.69	25.11
0 – 5%	9.50	10.68	11.87	13.05	14.24	15.42	16.60	17.79	18.97	19.39	19.80	20.22	20.64	21.05	21.47	21.88	22.30	22.72	23.13	23.55	23.96

Ihre Schätzung war: -1

Leistungsintervall

	Mögliche Zufallzahl:																				
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	30.85	32.04	33.22	34.40	35.59	36.77	37.96	39.14	40.32	41.51	41.92	42.34	42.76	43.17	43.59	44.00	44.42	44.84	45.25	45.67	46.08
90 – 95%	29.71	30.89	32.08	33.26	34.44	35.63	36.81	38.00	39.18	40.36	40.78	41.20	41.61	42.03	42.44	42.86	43.28	43.69	44.11	44.52	44.94
85 – 90%	28.56	29.75	30.93	32.12	33.30	34.48	35.67	36.85	38.04	39.22	39.64	40.05	40.47	40.88	41.30	41.72	42.13	42.55	42.96	43.38	43.80
80 – 85%	27.42	28.60	29.79	30.97	32.16	33.34	34.52	35.71	36.89	38.08	38.49	38.91	39.32	39.74	40.16	40.57	40.99	41.40	41.82	42.24	42.65
75 – 80%	26.28	27.46	28.64	29.83	31.01	32.20	33.38	34.56	35.75	36.93	37.35	37.76	38.18	38.60	39.01	39.43	39.84	40.26	40.68	41.09	41.51
70 – 75%	25.13	26.32	27.50	28.68	29.87	31.05	32.24	33.42	34.60	35.79	36.20	36.62	37.04	37.45	37.87	38.28	38.70	39.12	39.53	39.95	40.36
65 – 70%	23.99	25.17	26.36	27.54	28.72	29.91	31.09	32.28	33.46	34.64	35.06	35.48	35.89	36.31	36.72	37.14	37.56	37.97	38.39	38.80	39.22
60 – 65%	22.84	24.03	25.21	26.40	27.58	28.76	29.95	31.13	32.32	33.50	33.92	34.33	34.75	35.16	35.58	36.00	36.41	36.83	37.24	37.66	38.08
55 – 60%	21.70	22.88	24.07	25.25	26.44	27.62	28.80	29.99	31.17	32.36	32.77	33.19	33.60	34.02	34.44	34.85	35.27	35.68	36.10	36.52	36.93
50 – 55%	20.56	21.74	22.92	24.11	25.29	26.48	27.66	28.84	30.03	31.21	31.63	32.04	32.46	32.88	33.29	33.71	34.12	34.54	34.96	35.37	35.79
45 – 50%	19.41	20.60	21.78	22.96	24.15	25.33	26.52	27.70	28.88	30.07	30.48	30.90	31.32	31.73	32.15	32.56	32.98	33.40	33.81	34.23	34.64
40 – 45%	18.27	19.45	20.64	21.82	23.00	24.19	25.37	26.56	27.74	28.92	29.34	29.76	30.17	30.59	31.00	31.42	31.84	32.25	32.67	33.08	33.50
35 – 40%	17.12	18.31	19.49	20.68	21.86	23.04	24.23	25.41	26.60	27.78	28.20	28.61	29.03	29.44	29.86	30.28	30.69	31.11	31.52	31.94	32.36
30 – 35%	15.98	17.16	18.35	19.53	20.72	21.90	23.08	24.27	25.45	26.64	27.05	27.47	27.88	28.30	28.72	29.13	29.55	29.96	30.38	30.80	31.21
25 – 30%	14.84	16.02	17.20	18.39	19.57	20.76	21.94	23.12	24.31	25.49	25.91	26.32	26.74	27.16	27.57	27.99	28.40	28.82	29.24	29.65	30.07
20 – 25%	13.69	14.88	16.06	17.24	18.43	19.61	20.80	21.98	23.16	24.35	24.76	25.18	25.60	26.01	26.43	26.84	27.26	27.68	28.09	28.51	28.92
15 – 20%	12.55	13.73	14.92	16.10	17.28	18.47	19.65	20.84	22.02	23.20	23.62	24.04	24.45	24.87	25.28	25.70	26.12	26.53	26.95	27.36	27.78
10 – 15%	11.40	12.59	13.77	14.96	16.14	17.32	18.51	19.69	20.88	22.06	22.48	22.89	23.31	23.72	24.14	24.56	24.97	25.39	25.80	26.22	26.64
5 – 10%	10.26	11.44	12.63	13.81	15.00	16.18	17.36	18.55	19.73	20.92	21.33	21.75	22.16	22.58	23.00	23.41	23.83	24.24	24.66	25.08	25.49
0 – 5%	9.12	10.30	11.48	12.67	13.85	15.04	16.22	17.40	18.59	19.77	20.19	20.60	21.02	21.44	21.85	22.27	22.68	23.10	23.52	23.93	24.35

Ihre Schätzung war: 0

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	30.47	31.65	32.84	34.02	35.20	36.39	37.57	38.76	39.94	41.12	42.31	42.72	43.14	43.56	43.97	44.39	44.80	45.22	45.64	46.05	46.47
90 – 95%	29.32	30.51	31.69	32.88	34.06	35.24	36.43	37.61	38.80	39.98	41.16	41.58	42.00	42.41	42.83	43.24	43.66	44.08	44.49	44.91	45.32
85 – 90%	28.18	29.36	30.55	31.73	32.92	34.10	35.28	36.47	37.65	38.84	40.02	40.44	40.85	41.27	41.68	42.10	42.52	42.93	43.35	43.76	44.18
80 – 85%	27.04	28.22	29.40	30.59	31.77	32.96	34.14	35.32	36.51	37.69	38.88	39.29	39.71	40.12	40.54	40.96	41.37	41.79	42.20	42.62	43.04
75 – 80%	25.89	27.08	28.26	29.44	30.63	31.81	33.00	34.18	35.36	36.55	37.73	38.15	38.56	38.98	39.40	39.81	40.23	40.64	41.06	41.48	41.89
70 – 75%	24.75	25.93	27.12	28.30	29.48	30.67	31.85	33.04	34.22	35.40	36.59	37.00	37.42	37.84	38.25	38.67	39.08	39.50	39.92	40.33	40.75
65 – 70%	23.60	24.79	25.97	27.16	28.34	29.52	30.71	31.89	33.08	34.26	35.44	35.86	36.28	36.69	37.11	37.52	37.94	38.36	38.77	39.19	39.60
60 – 65%	22.46	23.64	24.83	26.01	27.20	28.38	29.56	30.75	31.93	33.12	34.30	34.72	35.13	35.55	35.96	36.38	36.80	37.21	37.63	38.04	38.46
55 – 60%	21.32	22.50	23.68	24.87	26.05	27.24	28.42	29.60	30.79	31.97	33.16	33.57	33.99	34.40	34.82	35.24	35.65	36.07	36.48	36.90	37.32
50 – 55%	20.17	21.36	22.54	23.72	24.91	26.09	27.28	28.46	29.64	30.83	32.01	32.43	32.84	33.26	33.68	34.09	34.51	34.92	35.34	35.76	36.17
45 – 50%	19.03	20.21	21.40	22.58	23.76	24.95	26.13	27.32	28.50	29.68	30.87	31.28	31.70	32.12	32.53	32.95	33.36	33.78	34.20	34.61	35.03
40 – 45%	17.88	19.07	20.25	21.44	22.62	23.80	24.99	26.17	27.36	28.54	29.72	30.14	30.56	30.97	31.39	31.80	32.22	32.64	33.05	33.47	33.88
35 – 40%	16.74	17.92	19.11	20.29	21.48	22.66	23.84	25.03	26.21	27.40	28.58	29.00	29.41	29.83	30.24	30.66	31.08	31.49	31.91	32.32	32.74
30 – 35%	15.60	16.78	17.96	19.15	20.33	21.52	22.70	23.88	25.07	26.25	27.44	27.85	28.27	28.68	29.10	29.52	29.93	30.35	30.76	31.18	31.60
25 – 30%	14.45	15.64	16.82	18.00	19.19	20.37	21.56	22.74	23.92	25.11	26.29	26.71	27.12	27.54	27.96	28.37	28.79	29.20	29.62	30.04	30.45
20 – 25%	13.31	14.49	15.68	16.86	18.04	19.23	20.41	21.60	22.78	23.96	25.15	25.56	25.98	26.40	26.81	27.23	27.64	28.06	28.48	28.89	29.31
15 – 20%	12.16	13.35	14.53	15.72	16.90	18.08	19.27	20.45	21.64	22.82	24.00	24.42	24.84	25.25	25.67	26.08	26.50	26.92	27.33	27.75	28.16
10 – 15%	11.02	12.20	13.39	14.57	15.76	16.94	18.12	19.31	20.49	21.68	22.86	23.28	23.69	24.11	24.52	24.94	25.36	25.77	26.19	26.60	27.02
5 – 10%	9.88	11.06	12.24	13.43	14.61	15.80	16.98	18.16	19.35	20.53	21.72	22.13	22.55	22.96	23.38	23.80	24.21	24.63	25.04	25.46	25.88
0 – 5%	8.73	9.92	11.10	12.28	13.47	14.65	15.84	17.02	18.20	19.39	20.57	20.99	21.40	21.82	22.24	22.65	23.07	23.48	23.90	24.32	24.73

Ihre Schätzung war: 1

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	30.08	31.27	32.45	33.64	34.82	36.00	37.19	38.37	39.56	40.74	41.92	43.11	43.52	43.94	44.36	44.77	45.19	45.60	46.02	46.44	46.85
90 – 95%	28.94	30.12	31.31	32.49	33.68	34.86	36.04	37.23	38.41	39.60	40.78	41.96	42.38	42.80	43.21	43.63	44.04	44.46	44.88	45.29	45.71
85 – 90%	27.80	28.98	30.16	31.35	32.53	33.72	34.90	36.08	37.27	38.45	39.64	40.82	41.24	41.65	42.07	42.48	42.90	43.32	43.73	44.15	44.56
80 – 85%	26.65	27.84	29.02	30.20	31.39	32.57	33.76	34.94	36.12	37.31	38.49	39.68	40.09	40.51	40.92	41.34	41.76	42.17	42.59	43.00	43.42
75 – 80%	25.51	26.69	27.88	29.06	30.24	31.43	32.61	33.80	34.98	36.16	37.35	38.53	38.95	39.36	39.78	40.20	40.61	41.03	41.44	41.86	42.28
70 – 75%	24.36	25.55	26.73	27.92	29.10	30.28	31.47	32.65	33.84	35.02	36.20	37.39	37.80	38.22	38.64	39.05	39.47	39.88	40.30	40.72	41.13
65 – 70%	23.22	24.40	25.59	26.77	27.96	29.14	30.32	31.51	32.69	33.88	35.06	36.24	36.66	37.08	37.49	37.91	38.32	38.74	39.16	39.57	39.99
60 – 65%	22.08	23.26	24.44	25.63	26.81	28.00	29.18	30.36	31.55	32.73	33.92	35.10	35.52	35.93	36.35	36.76	37.18	37.60	38.01	38.43	38.84
55 – 60%	20.93	22.12	23.30	24.48	25.67	26.85	28.04	29.22	30.40	31.59	32.77	33.96	34.37	34.79	35.20	35.62	36.04	36.45	36.87	37.28	37.70
50 – 55%	19.79	20.97	22.16	23.34	24.52	25.71	26.89	28.08	29.26	30.44	31.63	32.81	33.23	33.64	34.06	34.48	34.89	35.31	35.72	36.14	36.56
45 – 50%	18.64	19.83	21.01	22.20	23.38	24.56	25.75	26.93	28.12	29.30	30.48	31.67	32.08	32.50	32.92	33.33	33.75	34.16	34.58	35.00	35.41
40 – 45%	17.50	18.68	19.87	21.05	22.24	23.42	24.60	25.79	26.97	28.16	29.34	30.52	30.94	31.36	31.77	32.19	32.60	33.02	33.44	33.85	34.27
35 – 40%	16.36	17.54	18.72	19.91	21.09	22.28	23.46	24.64	25.83	27.01	28.20	29.38	29.80	30.21	30.63	31.04	31.46	31.88	32.29	32.71	33.12
30 – 35%	15.21	16.40	17.58	18.76	19.95	21.13	22.32	23.50	24.68	25.87	27.05	28.24	28.65	29.07	29.48	29.90	30.32	30.73	31.15	31.56	31.98
25 – 30%	14.07	15.25	16.44	17.62	18.80	19.99	21.17	22.36	23.54	24.72	25.91	27.09	27.51	27.92	28.34	28.76	29.17	29.59	30.00	30.42	30.84
20 – 25%	12.92	14.11	15.29	16.48	17.66	18.84	20.03	21.21	22.40	23.58	24.76	25.95	26.36	26.78	27.20	27.61	28.03	28.44	28.86	29.28	29.69
15 – 20%	11.78	12.96	14.15	15.33	16.52	17.70	18.88	20.07	21.25	22.44	23.62	24.80	25.22	25.64	26.05	26.47	26.88	27.30	27.72	28.13	28.55
10 – 15%	10.64	11.82	13.00	14.19	15.37	16.56	17.74	18.92	20.11	21.29	22.48	23.66	24.08	24.49	24.91	25.32	25.74	26.16	26.57	26.99	27.40
5 – 10%	9.49	10.68	11.86	13.04	14.23	15.41	16.60	17.78	18.96	20.15	21.33	22.52	22.93	23.35	23.76	24.18	24.60	25.01	25.43	25.84	26.26
0 – 5%	8.35	9.53	10.72	11.90	13.08	14.27	15.45	16.64	17.82	19.00	20.19	21.37	21.79	22.20	22.62	23.04	23.45	23.87	24.28	24.70	25.12

Ihre Schätzung war: 2

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	29.70	30.88	32.07	33.25	34.44	35.62	36.80	37.99	39.17	40.36	41.54	42.72	43.91	44.32	44.74	45.16	45.57	45.99	46.40	46.82	47.24
90 – 95%	28.56	29.74	30.92	32.11	33.29	34.48	35.66	36.84	38.03	39.21	40.40	41.58	42.76	43.18	43.60	44.01	44.43	44.84	45.26	45.68	46.09
85 – 90%	27.41	28.60	29.78	30.96	32.15	33.33	34.52	35.70	36.88	38.07	39.25	40.44	41.62	42.04	42.45	42.87	43.28	43.70	44.12	44.53	44.95
80 – 85%	26.27	27.45	28.64	29.82	31.00	32.19	33.37	34.56	35.74	36.92	38.11	39.29	40.48	40.89	41.31	41.72	42.14	42.56	42.97	43.39	43.80
75 – 80%	25.12	26.31	27.49	28.68	29.86	31.04	32.23	33.41	34.60	35.78	36.96	38.15	39.33	39.75	40.16	40.58	41.00	41.41	41.83	42.24	42.66
70 – 75%	23.98	25.16	26.35	27.53	28.72	29.90	31.08	32.27	33.45	34.64	35.82	37.00	38.19	38.60	39.02	39.44	39.85	40.27	40.68	41.10	41.52
65 – 70%	22.84	24.02	25.20	26.39	27.57	28.76	29.94	31.12	32.31	33.49	34.68	35.86	37.04	37.46	37.88	38.29	38.71	39.12	39.54	39.96	40.37
60 – 65%	21.69	22.88	24.06	25.24	26.43	27.61	28.80	29.98	31.16	32.35	33.53	34.72	35.90	36.32	36.73	37.15	37.56	37.98	38.40	38.81	39.23
55 – 60%	20.55	21.73	22.92	24.10	25.28	26.47	27.65	28.84	30.02	31.20	32.39	33.57	34.76	35.17	35.59	36.00	36.42	36.84	37.25	37.67	38.08
50 – 55%	19.40	20.59	21.77	22.96	24.14	25.32	26.51	27.69	28.88	30.06	31.24	32.43	33.61	34.03	34.44	34.86	35.28	35.69	36.11	36.52	36.94
45 – 50%	18.26	19.44	20.63	21.81	23.00	24.18	25.36	26.55	27.73	28.92	30.10	31.28	32.47	32.88	33.30	33.72	34.13	34.55	34.96	35.38	35.80
40 – 45%	17.12	18.30	19.48	20.67	21.85	23.04	24.22	25.40	26.59	27.77	28.96	30.14	31.32	31.74	32.16	32.57	32.99	33.40	33.82	34.24	34.65
35 – 40%	15.97	17.16	18.34	19.52	20.71	21.89	23.08	24.26	25.44	26.63	27.81	29.00	30.18	30.60	31.01	31.43	31.84	32.26	32.68	33.09	33.51
30 – 35%	14.83	16.01	17.20	18.38	19.56	20.75	21.93	23.12	24.30	25.48	26.67	27.85	29.04	29.45	29.87	30.28	30.70	31.12	31.53	31.95	32.36
25 – 30%	13.68	14.87	16.05	17.24	18.42	19.60	20.79	21.97	23.16	24.34	25.52	26.71	27.89	28.31	28.72	29.14	29.56	29.97	30.39	30.80	31.22
20 – 25%	12.54	13.72	14.91	16.09	17.28	18.46	19.64	20.83	22.01	23.20	24.38	25.56	26.75	27.16	27.58	28.00	28.41	28.83	29.24	29.66	30.08
15 – 20%	11.40	12.58	13.76	14.95	16.13	17.32	18.50	19.68	20.87	22.05	23.24	24.42	25.60	26.02	26.44	26.85	27.27	27.68	28.10	28.52	28.93
10 – 15%	10.25	11.44	12.62	13.80	14.99	16.17	17.36	18.54	19.72	20.91	22.09	23.28	24.46	24.88	25.29	25.71	26.12	26.54	26.96	27.37	27.79
5 – 10%	9.11	10.29	11.48	12.66	13.84	15.03	16.21	17.40	18.58	19.76	20.95	22.13	23.32	23.73	24.15	24.56	24.98	25.40	25.81	26.23	26.64
0 – 5%	7.96	9.15	10.33	11.52	12.70	13.88	15.07	16.25	17.44	18.62	19.80	20.99	22.17	22.59	23.00	23.42	23.84	24.25	24.67	25.08	25.50

Ihre Schätzung war: 3

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	29.32	30.50	31.68	32.87	34.05	35.24	36.42	37.60	38.79	39.97	41.16	42.34	43.52	44.71	45.12	45.54	45.96	46.37	46.79	47.20	47.62
90 – 95%	28.17	29.36	30.54	31.72	32.91	34.09	35.28	36.46	37.64	38.83	40.01	41.20	42.38	43.56	43.98	44.40	44.81	45.23	45.64	46.06	46.48
85 – 90%	27.03	28.21	29.40	30.58	31.76	32.95	34.13	35.32	36.50	37.68	38.87	40.05	41.24	42.42	42.84	43.25	43.67	44.08	44.50	44.92	45.33
80 – 85%	25.88	27.07	28.25	29.44	30.62	31.80	32.99	34.17	35.36	36.54	37.72	38.91	40.09	41.28	41.69	42.11	42.52	42.94	43.36	43.77	44.19
75 – 80%	24.74	25.92	27.11	28.29	29.48	30.66	31.84	33.03	34.21	35.40	36.58	37.76	38.95	40.13	40.55	40.96	41.38	41.80	42.21	42.63	43.04
70 – 75%	23.60	24.78	25.96	27.15	28.33	29.52	30.70	31.88	33.07	34.25	35.44	36.62	37.80	38.99	39.40	39.82	40.24	40.65	41.07	41.48	41.90
65 – 70%	22.45	23.64	24.82	26.00	27.19	28.37	29.56	30.74	31.92	33.11	34.29	35.48	36.66	37.84	38.26	38.68	39.09	39.51	39.92	40.34	40.76
60 – 65%	21.31	22.49	23.68	24.86	26.04	27.23	28.41	29.60	30.78	31.96	33.15	34.33	35.52	36.70	37.12	37.53	37.95	38.36	38.78	39.20	39.61
55 – 60%	20.16	21.35	22.53	23.72	24.90	26.08	27.27	28.45	29.64	30.82	32.00	33.19	34.37	35.56	35.97	36.39	36.80	37.22	37.64	38.05	38.47
50 – 55%	19.02	20.20	21.39	22.57	23.76	24.94	26.12	27.31	28.49	29.68	30.86	32.04	33.23	34.41	34.83	35.24	35.66	36.08	36.49	36.91	37.32
45 – 50%	17.88	19.06	20.24	21.43	22.61	23.80	24.98	26.16	27.35	28.53	29.72	30.90	32.08	33.27	33.68	34.10	34.52	34.93	35.35	35.76	36.18
40 – 45%	16.73	17.92	19.10	20.28	21.47	22.65	23.84	25.02	26.20	27.39	28.57	29.76	30.94	32.12	32.54	32.96	33.37	33.79	34.20	34.62	35.04
35 – 40%	15.59	16.77	17.96	19.14	20.32	21.51	22.69	23.88	25.06	26.24	27.43	28.61	29.80	30.98	31.40	31.81	32.23	32.64	33.06	33.48	33.89
30 – 35%	14.44	15.63	16.81	18.00	19.18	20.36	21.55	22.73	23.92	25.10	26.28	27.47	28.65	29.84	30.25	30.67	31.08	31.50	31.92	32.33	32.75
25 – 30%	13.30	14.48	15.67	16.85	18.04	19.22	20.40	21.59	22.77	23.96	25.14	26.32	27.51	28.69	29.11	29.52	29.94	30.36	30.77	31.19	31.60
20 – 25%	12.16	13.34	14.52	15.71	16.89	18.08	19.26	20.44	21.63	22.81	24.00	25.18	26.36	27.55	27.96	28.38	28.80	29.21	29.63	30.04	30.46
15 – 20%	11.01	12.20	13.38	14.56	15.75	16.93	18.12	19.30	20.48	21.67	22.85	24.04	25.22	26.40	26.82	27.24	27.65	28.07	28.48	28.90	29.32
10 – 15%	9.87	11.05	12.24	13.42	14.60	15.79	16.97	18.16	19.34	20.52	21.71	22.89	24.08	25.26	25.68	26.09	26.51	26.92	27.34	27.76	28.17
5 – 10%	8.72	9.91	11.09	12.28	13.46	14.64	15.83	17.01	18.20	19.38	20.56	21.75	22.93	24.12	24.53	24.95	25.36	25.78	26.20	26.61	27.03
0 – 5%	7.58	8.76	9.95	11.13	12.32	13.50	14.68	15.87	17.05	18.24	19.42	20.60	21.79	22.97	23.39	23.80	24.22	24.64	25.05	25.47	25.88

Ihre Schätzung war: 4

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	28.93	30.12	31.30	32.48	33.67	34.85	36.04	37.22	38.40	39.59	40.77	41.96	43.14	44.32	45.51	45.92	46.34	46.76	47.17	47.59	48.00
90 – 95%	27.79	28.97	30.16	31.34	32.52	33.71	34.89	36.08	37.26	38.44	39.63	40.81	42.00	43.18	44.36	44.78	45.20	45.61	46.03	46.44	46.86
85 – 90%	26.64	27.83	29.01	30.20	31.38	32.56	33.75	34.93	36.12	37.30	38.48	39.67	40.85	42.04	43.22	43.64	44.05	44.47	44.88	45.30	45.72
80 – 85%	25.50	26.68	27.87	29.05	30.24	31.42	32.60	33.79	34.97	36.16	37.34	38.52	39.71	40.89	42.08	42.49	42.91	43.32	43.74	44.16	44.57
75 – 80%	24.36	25.54	26.72	27.91	29.09	30.28	31.46	32.64	33.83	35.01	36.20	37.38	38.56	39.75	40.93	41.35	41.76	42.18	42.60	43.01	43.43
70 – 75%	23.21	24.40	25.58	26.76	27.95	29.13	30.32	31.50	32.68	33.87	35.05	36.24	37.42	38.60	39.79	40.20	40.62	41.04	41.45	41.87	42.28
65 – 70%	22.07	23.25	24.44	25.62	26.80	27.99	29.17	30.36	31.54	32.72	33.91	35.09	36.28	37.46	38.64	39.06	39.48	39.89	40.31	40.72	41.14
60 – 65%	20.92	22.11	23.29	24.48	25.66	26.84	28.03	29.21	30.40	31.58	32.76	33.95	35.13	36.32	37.50	37.92	38.33	38.75	39.16	39.58	40.00
55 – 60%	19.78	20.96	22.15	23.33	24.52	25.70	26.88	28.07	29.25	30.44	31.62	32.80	33.99	35.17	36.36	36.77	37.19	37.60	38.02	38.44	38.85
50 – 55%	18.64	19.82	21.00	22.19	23.37	24.56	25.74	26.92	28.11	29.29	30.48	31.66	32.84	34.03	35.21	35.63	36.04	36.46	36.88	37.29	37.71
45 – 50%	17.49	18.68	19.86	21.04	22.23	23.41	24.60	25.78	26.96	28.15	29.33	30.52	31.70	32.88	34.07	34.48	34.90	35.32	35.73	36.15	36.56
40 – 45%	16.35	17.53	18.72	19.90	21.08	22.27	23.45	24.64	25.82	27.00	28.19	29.37	30.56	31.74	32.92	33.34	33.76	34.17	34.59	35.00	35.42
35 – 40%	15.20	16.39	17.57	18.76	19.94	21.12	22.31	23.49	24.68	25.86	27.04	28.23	29.41	30.60	31.78	32.20	32.61	33.03	33.44	33.86	34.28
30 – 35%	14.06	15.24	16.43	17.61	18.80	19.98	21.16	22.35	23.53	24.72	25.90	27.08	28.27	29.45	30.64	31.05	31.47	31.88	32.30	32.72	33.13
25 – 30%	12.92	14.10	15.28	16.47	17.65	18.84	20.02	21.20	22.39	23.57	24.76	25.94	27.12	28.31	29.49	29.91	30.32	30.74	31.16	31.57	31.99
20 – 25%	11.77	12.96	14.14	15.32	16.51	17.69	18.88	20.06	21.24	22.43	23.61	24.80	25.98	27.16	28.35	28.76	29.18	29.60	30.01	30.43	30.84
15 – 20%	10.63	11.81	13.00	14.18	15.36	16.55	17.73	18.92	20.10	21.28	22.47	23.65	24.84	26.02	27.20	27.62	28.04	28.45	28.87	29.28	29.70
10 – 15%	9.48	10.67	11.85	13.04	14.22	15.40	16.59	17.77	18.96	20.14	21.32	22.51	23.69	24.88	26.06	26.48	26.89	27.31	27.72	28.14	28.56
5 – 10%	8.34	9.52	10.71	11.89	13.08	14.26	15.44	16.63	17.81	19.00	20.18	21.36	22.55	23.73	24.92	25.33	25.75	26.16	26.58	27.00	27.41
0 – 5%	7.20	8.38	9.56	10.75	11.93	13.12	14.30	15.48	16.67	17.85	19.04	20.22	21.40	22.59	23.77	24.19	24.60	25.02	25.44	25.85	26.27

Ihre Schätzung war: 5

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	28.55	29.73	30.92	32.10	33.28	34.47	35.65	36.84	38.02	39.20	40.39	41.57	42.76	43.94	45.12	46.31	46.72	47.14	47.56	47.97	48.39
90 – 95%	27.40	28.59	29.77	30.96	32.14	33.32	34.51	35.69	36.88	38.06	39.24	40.43	41.61	42.80	43.98	45.16	45.58	46.00	46.41	46.83	47.24
85 – 90%	26.26	27.44	28.63	29.81	31.00	32.18	33.36	34.55	35.73	36.92	38.10	39.28	40.47	41.65	42.84	44.02	44.44	44.85	45.27	45.68	46.10
80 – 85%	25.12	26.30	27.48	28.67	29.85	31.04	32.22	33.40	34.59	35.77	36.96	38.14	39.32	40.51	41.69	42.88	43.29	43.71	44.12	44.54	44.96
75 – 80%	23.97	25.16	26.34	27.52	28.71	29.89	31.08	32.26	33.44	34.63	35.81	37.00	38.18	39.36	40.55	41.73	42.15	42.56	42.98	43.40	43.81
70 – 75%	22.83	24.01	25.20	26.38	27.56	28.75	29.93	31.12	32.30	33.48	34.67	35.85	37.04	38.22	39.40	40.59	41.00	41.42	41.84	42.25	42.67
65 – 70%	21.68	22.87	24.05	25.24	26.42	27.60	28.79	29.97	31.16	32.34	33.52	34.71	35.89	37.08	38.26	39.44	39.86	40.28	40.69	41.11	41.52
60 – 65%	20.54	21.72	22.91	24.09	25.28	26.46	27.64	28.83	30.01	31.20	32.38	33.56	34.75	35.93	37.12	38.30	38.72	39.13	39.55	39.96	40.38
55 – 60%	19.40	20.58	21.76	22.95	24.13	25.32	26.50	27.68	28.87	30.05	31.24	32.42	33.60	34.79	35.97	37.16	37.57	37.99	38.40	38.82	39.24
50 – 55%	18.25	19.44	20.62	21.80	22.99	24.17	25.36	26.54	27.72	28.91	30.09	31.28	32.46	33.64	34.83	36.01	36.43	36.84	37.26	37.68	38.09
45 – 50%	17.11	18.29	19.48	20.66	21.84	23.03	24.21	25.40	26.58	27.76	28.95	30.13	31.32	32.50	33.68	34.87	35.28	35.70	36.12	36.53	36.95
40 – 45%	15.96	17.15	18.33	19.52	20.70	21.88	23.07	24.25	25.44	26.62	27.80	28.99	30.17	31.36	32.54	33.72	34.14	34.56	34.97	35.39	35.80
35 – 40%	14.82	16.00	17.19	18.37	19.56	20.74	21.92	23.11	24.29	25.48	26.66	27.84	29.03	30.21	31.40	32.58	33.00	33.41	33.83	34.24	34.66
30 – 35%	13.68	14.86	16.04	17.23	18.41	19.60	20.78	21.96	23.15	24.33	25.52	26.70	27.88	29.07	30.25	31.44	31.85	32.27	32.68	33.10	33.52
25 – 30%	12.53	13.72	14.90	16.08	17.27	18.45	19.64	20.82	22.00	23.19	24.37	25.56	26.74	27.92	29.11	30.29	30.71	31.12	31.54	31.96	32.37
20 – 25%	11.39	12.57	13.76	14.94	16.12	17.31	18.49	19.68	20.86	22.04	23.23	24.41	25.60	26.78	27.96	29.15	29.56	29.98	30.40	30.81	31.23
15 – 20%	10.24	11.43	12.61	13.80	14.98	16.16	17.35	18.53	19.72	20.90	22.08	23.27	24.45	25.64	26.82	28.00	28.42	28.84	29.25	29.67	30.08
10 – 15%	9.10	10.28	11.47	12.65	13.84	15.02	16.20	17.39	18.57	19.76	20.94	22.12	23.31	24.49	25.68	26.86	27.28	27.69	28.11	28.52	28.94
5 – 10%	7.96	9.14	10.32	11.51	12.69	13.88	15.06	16.24	17.43	18.61	19.80	20.98	22.16	23.35	24.53	25.72	26.13	26.55	26.96	27.38	27.80
0 – 5%	6.81	8.00	9.18	10.36	11.55	12.73	13.92	15.10	16.28	17.47	18.65	19.84	21.02	22.20	23.39	24.57	24.99	25.40	25.82	26.24	26.65

Ihre Schätzung war: 6

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	28.16	29.35	30.53	31.72	32.90	34.08	35.27	36.45	37.64	38.82	40.00	41.19	42.37	43.56	44.74	45.92	47.11	47.52	47.94	48.36	48.77
90 – 95%	27.02	28.20	29.39	30.57	31.76	32.94	34.12	35.31	36.49	37.68	38.86	40.04	41.23	42.41	43.60	44.78	45.96	46.38	46.80	47.21	47.63
85 – 90%	25.88	27.06	28.24	29.43	30.61	31.80	32.98	34.16	35.35	36.53	37.72	38.90	40.08	41.27	42.45	43.64	44.82	45.24	45.65	46.07	46.48
80 – 85%	24.73	25.92	27.10	28.28	29.47	30.65	31.84	33.02	34.20	35.39	36.57	37.76	38.94	40.12	41.31	42.49	43.68	44.09	44.51	44.92	45.34
75 – 80%	23.59	24.77	25.96	27.14	28.32	29.51	30.69	31.88	33.06	34.24	35.43	36.61	37.80	38.98	40.16	41.35	42.53	42.95	43.36	43.78	44.20
70 – 75%	22.44	23.63	24.81	26.00	27.18	28.36	29.55	30.73	31.92	33.10	34.28	35.47	36.65	37.84	39.02	40.20	41.39	41.80	42.22	42.64	43.05
65 – 70%	21.30	22.48	23.67	24.85	26.04	27.22	28.40	29.59	30.77	31.96	33.14	34.32	35.51	36.69	37.88	39.06	40.24	40.66	41.08	41.49	41.91
60 – 65%	20.16	21.34	22.52	23.71	24.89	26.08	27.26	28.44	29.63	30.81	32.00	33.18	34.36	35.55	36.73	37.92	39.10	39.52	39.93	40.35	40.76
55 – 60%	19.01	20.20	21.38	22.56	23.75	24.93	26.12	27.30	28.48	29.67	30.85	32.04	33.22	34.40	35.59	36.77	37.96	38.37	38.79	39.20	39.62
50 – 55%	17.87	19.05	20.24	21.42	22.60	23.79	24.97	26.16	27.34	28.52	29.71	30.89	32.08	33.26	34.44	35.63	36.81	37.23	37.64	38.06	38.48
45 – 50%	16.72	17.91	19.09	20.28	21.46	22.64	23.83	25.01	26.20	27.38	28.56	29.75	30.93	32.12	33.30	34.48	35.67	36.08	36.50	36.92	37.33
40 – 45%	15.58	16.76	17.95	19.13	20.32	21.50	22.68	23.87	25.05	26.24	27.42	28.60	29.79	30.97	32.16	33.34	34.52	34.94	35.36	35.77	36.19
35 – 40%	14.44	15.62	16.80	17.99	19.17	20.36	21.54	22.72	23.91	25.09	26.28	27.46	28.64	29.83	31.01	32.20	33.38	33.80	34.21	34.63	35.04
30 – 35%	13.29	14.48	15.66	16.84	18.03	19.21	20.40	21.58	22.76	23.95	25.13	26.32	27.50	28.68	29.87	31.05	32.24	32.65	33.07	33.48	33.90
25 – 30%	12.15	13.33	14.52	15.70	16.88	18.07	19.25	20.44	21.62	22.80	23.99	25.17	26.36	27.54	28.72	29.91	31.09	31.51	31.92	32.34	32.76
20 – 25%	11.00	12.19	13.37	14.56	15.74	16.92	18.11	19.29	20.48	21.66	22.84	24.03	25.21	26.40	27.58	28.76	29.95	30.36	30.78	31.20	31.61
15 – 20%	9.86	11.04	12.23	13.41	14.60	15.78	16.96	18.15	19.33	20.52	21.70	22.88	24.07	25.25	26.44	27.62	28.80	29.22	29.64	30.05	30.47
10 – 15%	8.72	9.90	11.08	12.27	13.45	14.64	15.82	17.00	18.19	19.37	20.56	21.74	22.92	24.11	25.29	26.48	27.66	28.08	28.49	28.91	29.32
5 – 10%	7.57	8.76	9.94	11.12	12.31	13.49	14.68	15.86	17.04	18.23	19.41	20.60	21.78	22.96	24.15	25.33	26.52	26.93	27.35	27.76	28.18
0 – 5%	6.43	7.61	8.80	9.98	11.16	12.35	13.53	14.72	15.90	17.08	18.27	19.45	20.64	21.82	23.00	24.19	25.37	25.79	26.20	26.62	27.04

Ihre Schätzung war: 7

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	27.78	28.96	30.15	31.33	32.52	33.70	34.88	36.07	37.25	38.44	39.62	40.80	41.99	43.17	44.36	45.54	46.72	47.91	48.32	48.74	49.16
90 – 95%	26.64	27.82	29.00	30.19	31.37	32.56	33.74	34.92	36.11	37.29	38.48	39.66	40.84	42.03	43.21	44.40	45.58	46.76	47.18	47.60	48.01
85 – 90%	25.49	26.68	27.86	29.04	30.23	31.41	32.60	33.78	34.96	36.15	37.33	38.52	39.70	40.88	42.07	43.25	44.44	45.62	46.04	46.45	46.87
80 – 85%	24.35	25.53	26.72	27.90	29.08	30.27	31.45	32.64	33.82	35.00	36.19	37.37	38.56	39.74	40.92	42.11	43.29	44.48	44.89	45.31	45.72
75 – 80%	23.20	24.39	25.57	26.76	27.94	29.12	30.31	31.49	32.68	33.86	35.04	36.23	37.41	38.60	39.78	40.96	42.15	43.33	43.75	44.16	44.58
70 – 75%	22.06	23.24	24.43	25.61	26.80	27.98	29.16	30.35	31.53	32.72	33.90	35.08	36.27	37.45	38.64	39.82	41.00	42.19	42.60	43.02	43.44
65 – 70%	20.92	22.10	23.28	24.47	25.65	26.84	28.02	29.20	30.39	31.57	32.76	33.94	35.12	36.31	37.49	38.68	39.86	41.04	41.46	41.88	42.29
60 – 65%	19.77	20.96	22.14	23.32	24.51	25.69	26.88	28.06	29.24	30.43	31.61	32.80	33.98	35.16	36.35	37.53	38.72	39.90	40.32	40.73	41.15
55 – 60%	18.63	19.81	21.00	22.18	23.36	24.55	25.73	26.92	28.10	29.28	30.47	31.65	32.84	34.02	35.20	36.39	37.57	38.76	39.17	39.59	40.00
50 – 55%	17.48	18.67	19.85	21.04	22.22	23.40	24.59	25.77	26.96	28.14	29.32	30.51	31.69	32.88	34.06	35.24	36.43	37.61	38.03	38.44	38.86
45 – 50%	16.34	17.52	18.71	19.89	21.08	22.26	23.44	24.63	25.81	27.00	28.18	29.36	30.55	31.73	32.92	34.10	35.28	36.47	36.88	37.30	37.72
40 – 45%	15.20	16.38	17.56	18.75	19.93	21.12	22.30	23.48	24.67	25.85	27.04	28.22	29.40	30.59	31.77	32.96	34.14	35.32	35.74	36.16	36.57
35 – 40%	14.05	15.24	16.42	17.60	18.79	19.97	21.16	22.34	23.52	24.71	25.89	27.08	28.26	29.44	30.63	31.81	33.00	34.18	34.60	35.01	35.43
30 – 35%	12.91	14.09	15.28	16.46	17.64	18.83	20.01	21.20	22.38	23.56	24.75	25.93	27.12	28.30	29.48	30.67	31.85	33.04	33.45	33.87	34.28
25 – 30%	11.76	12.95	14.13	15.32	16.50	17.68	18.87	20.05	21.24	22.42	23.60	24.79	25.97	27.16	28.34	29.52	30.71	31.89	32.31	32.72	33.14
20 – 25%	10.62	11.80	12.99	14.17	15.36	16.54	17.72	18.91	20.09	21.28	22.46	23.64	24.83	26.01	27.20	28.38	29.56	30.75	31.16	31.58	32.00
15 – 20%	9.48	10.66	11.84	13.03	14.21	15.40	16.58	17.76	18.95	20.13	21.32	22.50	23.68	24.87	26.05	27.24	28.42	29.60	30.02	30.44	30.85
10 – 15%	8.33	9.52	10.70	11.88	13.07	14.25	15.44	16.62	17.80	18.99	20.17	21.36	22.54	23.72	24.91	26.09	27.28	28.46	28.88	29.29	29.71
5 – 10%	7.19	8.37	9.56	10.74	11.92	13.11	14.29	15.48	16.66	17.84	19.03	20.21	21.40	22.58	23.76	24.95	26.13	27.32	27.73	28.15	28.56
0 – 5%	6.04	7.23	8.41	9.60	10.78	11.96	13.15	14.33	15.52	16.70	17.88	19.07	20.25	21.44	22.62	23.80	24.99	26.17	26.59	27.00	27.42

Ihre Schätzung war: 8

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	27.40	28.58	29.76	30.95	32.13	33.32	34.50	35.68	36.87	38.05	39.24	40.42	41.60	42.79	43.97	45.16	46.34	47.52	48.71	49.12	49.54
90 – 95%	26.25	27.44	28.62	29.80	30.99	32.17	33.36	34.54	35.72	36.91	38.09	39.28	40.46	41.64	42.83	44.01	45.20	46.38	47.56	47.98	48.40
85 – 90%	25.11	26.29	27.48	28.66	29.84	31.03	32.21	33.40	34.58	35.76	36.95	38.13	39.32	40.50	41.68	42.87	44.05	45.24	46.42	46.84	47.25
80 – 85%	23.96	25.15	26.33	27.52	28.70	29.88	31.07	32.25	33.44	34.62	35.80	36.99	38.17	39.36	40.54	41.72	42.91	44.09	45.28	45.69	46.11
75 – 80%	22.82	24.00	25.19	26.37	27.56	28.74	29.92	31.11	32.29	33.48	34.66	35.84	37.03	38.21	39.40	40.58	41.76	42.95	44.13	44.55	44.96
70 – 75%	21.68	22.86	24.04	25.23	26.41	27.60	28.78	29.96	31.15	32.33	33.52	34.70	35.88	37.07	38.25	39.44	40.62	41.80	42.99	43.40	43.82
65 – 70%	20.53	21.72	22.90	24.08	25.27	26.45	27.64	28.82	30.00	31.19	32.37	33.56	34.74	35.92	37.11	38.29	39.48	40.66	41.84	42.26	42.68
60 – 65%	19.39	20.57	21.76	22.94	24.12	25.31	26.49	27.68	28.86	30.04	31.23	32.41	33.60	34.78	35.96	37.15	38.33	39.52	40.70	41.12	41.53
55 – 60%	18.24	19.43	20.61	21.80	22.98	24.16	25.35	26.53	27.72	28.90	30.08	31.27	32.45	33.64	34.82	36.00	37.19	38.37	39.56	39.97	40.39
50 – 55%	17.10	18.28	19.47	20.65	21.84	23.02	24.20	25.39	26.57	27.76	28.94	30.12	31.31	32.49	33.68	34.86	36.04	37.23	38.41	38.83	39.24
45 – 50%	15.96	17.14	18.32	19.51	20.69	21.88	23.06	24.24	25.43	26.61	27.80	28.98	30.16	31.35	32.53	33.72	34.90	36.08	37.27	37.68	38.10
40 – 45%	14.81	16.00	17.18	18.36	19.55	20.73	21.92	23.10	24.28	25.47	26.65	27.84	29.02	30.20	31.39	32.57	33.76	34.94	36.12	36.54	36.96
35 – 40%	13.67	14.85	16.04	17.22	18.40	19.59	20.77	21.96	23.14	24.32	25.51	26.69	27.88	29.06	30.24	31.43	32.61	33.80	34.98	35.40	35.81
30 – 35%	12.52	13.71	14.89	16.08	17.26	18.44	19.63	20.81	22.00	23.18	24.36	25.55	26.73	27.92	29.10	30.28	31.47	32.65	33.84	34.25	34.67
25 – 30%	11.38	12.56	13.75	14.93	16.12	17.30	18.48	19.67	20.85	22.04	23.22	24.40	25.59	26.77	27.96	29.14	30.32	31.51	32.69	33.11	33.52
20 – 25%	10.24	11.42	12.60	13.79	14.97	16.16	17.34	18.52	19.71	20.89	22.08	23.26	24.44	25.63	26.81	28.00	29.18	30.36	31.55	31.96	32.38
15 – 20%	9.09	10.28	11.46	12.64	13.83	15.01	16.20	17.38	18.56	19.75	20.93	22.12	23.30	24.48	25.67	26.85	28.04	29.22	30.40	30.82	31.24
10 – 15%	7.95	9.13	10.32	11.50	12.68	13.87	15.05	16.24	17.42	18.60	19.79	20.97	22.16	23.34	24.52	25.71	26.89	28.08	29.26	29.68	30.09
5 – 10%	6.80	7.99	9.17	10.36	11.54	12.72	13.91	15.09	16.28	17.46	18.64	19.83	21.01	22.20	23.38	24.56	25.75	26.93	28.12	28.53	28.95
0 – 5%	5.66	6.84	8.03	9.21	10.40	11.58	12.76	13.95	15.13	16.32	17.50	18.68	19.87	21.05	22.24	23.42	24.60	25.79	26.97	27.39	27.80

Ihre Schätzung war: 9

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	27.01	28.20	29.38	30.56	31.75	32.93	34.12	35.30	36.48	37.67	38.85	40.04	41.22	42.40	43.59	44.77	45.96	47.14	48.32	49.51	49.92
90 – 95%	25.87	27.05	28.24	29.42	30.60	31.79	32.97	34.16	35.34	36.52	37.71	38.89	40.08	41.26	42.44	43.63	44.81	46.00	47.18	48.36	48.78
85 – 90%	24.72	25.91	27.09	28.28	29.46	30.64	31.83	33.01	34.20	35.38	36.56	37.75	38.93	40.12	41.30	42.48	43.67	44.85	46.04	47.22	47.64
80 – 85%	23.58	24.76	25.95	27.13	28.32	29.50	30.68	31.87	33.05	34.24	35.42	36.60	37.79	38.97	40.16	41.34	42.52	43.71	44.89	46.08	46.49
75 – 80%	22.44	23.62	24.80	25.99	27.17	28.36	29.54	30.72	31.91	33.09	34.28	35.46	36.64	37.83	39.01	40.20	41.38	42.56	43.75	44.93	45.35
70 – 75%	21.29	22.48	23.66	24.84	26.03	27.21	28.40	29.58	30.76	31.95	33.13	34.32	35.50	36.68	37.87	39.05	40.24	41.42	42.60	43.79	44.20
65 – 70%	20.15	21.33	22.52	23.70	24.88	26.07	27.25	28.44	29.62	30.80	31.99	33.17	34.36	35.54	36.72	37.91	39.09	40.28	41.46	42.64	43.06
60 – 65%	19.00	20.19	21.37	22.56	23.74	24.92	26.11	27.29	28.48	29.66	30.84	32.03	33.21	34.40	35.58	36.76	37.95	39.13	40.32	41.50	41.92
55 – 60%	17.86	19.04	20.23	21.41	22.60	23.78	24.96	26.15	27.33	28.52	29.70	30.88	32.07	33.25	34.44	35.62	36.80	37.99	39.17	40.36	40.77
50 – 55%	16.72	17.90	19.08	20.27	21.45	22.64	23.82	25.00	26.19	27.37	28.56	29.74	30.92	32.11	33.29	34.48	35.66	36.84	38.03	39.21	39.63
45 – 50%	15.57	16.76	17.94	19.12	20.31	21.49	22.68	23.86	25.04	26.23	27.41	28.60	29.78	30.96	32.15	33.33	34.52	35.70	36.88	38.07	38.48
40 – 45%	14.43	15.61	16.80	17.98	19.16	20.35	21.53	22.72	23.90	25.08	26.27	27.45	28.64	29.82	31.00	32.19	33.37	34.56	35.74	36.92	37.34
35 – 40%	13.28	14.47	15.65	16.84	18.02	19.20	20.39	21.57	22.76	23.94	25.12	26.31	27.49	28.68	29.86	31.04	32.23	33.41	34.60	35.78	36.20
30 – 35%	12.14	13.32	14.51	15.69	16.88	18.06	19.24	20.43	21.61	22.80	23.98	25.16	26.35	27.53	28.72	29.90	31.08	32.27	33.45	34.64	35.05
25 – 30%	11.00	12.18	13.36	14.55	15.73	16.92	18.10	19.28	20.47	21.65	22.84	24.02	25.20	26.39	27.57	28.76	29.94	31.12	32.31	33.49	33.91
20 – 25%	9.85	11.04	12.22	13.40	14.59	15.77	16.96	18.14	19.32	20.51	21.69	22.88	24.06	25.24	26.43	27.61	28.80	29.98	31.16	32.35	32.76
15 – 20%	8.71	9.89	11.08	12.26	13.44	14.63	15.81	17.00	18.18	19.36	20.55	21.73	22.92	24.10	25.28	26.47	27.65	28.84	30.02	31.20	31.62
10 – 15%	7.56	8.75	9.93	11.12	12.30	13.48	14.67	15.85	17.04	18.22	19.40	20.59	21.77	22.96	24.14	25.32	26.51	27.69	28.88	30.06	30.48
5 – 10%	6.42	7.60	8.79	9.97	11.16	12.34	13.52	14.71	15.89	17.08	18.26	19.44	20.63	21.81	23.00	24.18	25.36	26.55	27.73	28.92	29.33
0 – 5%	5.28	6.46	7.64	8.83	10.01	11.20	12.38	13.56	14.75	15.93	17.12	18.30	19.48	20.67	21.85	23.04	24.22	25.40	26.59	27.77	28.19

Ihre Schätzung war: 10

Leistungsintervall

	Mögliche Zufallzahl:																				
	−10	−9	−8	−7	−6	−5	−4	−3	−2	−1	0	1	2	3	4	5	6	7	8	9	10
95 – 100%	26.63	27.81	29.00	30.18	31.36	32.55	33.73	34.92	36.10	37.28	38.47	39.65	40.84	42.02	43.20	44.39	45.57	46.76	47.94	49.12	50.31
90 – 95%	25.48	26.67	27.85	29.04	30.22	31.40	32.59	33.77	34.96	36.14	37.32	38.51	39.69	40.88	42.06	43.24	44.43	45.61	46.80	47.98	49.16
85 – 90%	24.34	25.52	26.71	27.89	29.08	30.26	31.44	32.63	33.81	35.00	36.18	37.36	38.55	39.73	40.92	42.10	43.28	44.47	45.65	46.84	48.02
80 – 85%	23.20	24.38	25.56	26.75	27.93	29.12	30.30	31.48	32.67	33.85	35.04	36.22	37.40	38.59	39.77	40.96	42.14	43.32	44.51	45.69	46.88
75 – 80%	22.05	23.24	24.42	25.60	26.79	27.97	29.16	30.34	31.52	32.71	33.89	35.08	36.26	37.44	38.63	39.81	41.00	42.18	43.36	44.55	45.73
70 – 75%	20.91	22.09	23.28	24.46	25.64	26.83	28.01	29.20	30.38	31.56	32.75	33.93	35.12	36.30	37.48	38.67	39.85	41.04	42.22	43.40	44.59
65 – 70%	19.76	20.95	22.13	23.32	24.50	25.68	26.87	28.05	29.24	30.42	31.60	32.79	33.97	35.16	36.34	37.52	38.71	39.89	41.08	42.26	43.44
60 – 65%	18.62	19.80	20.99	22.17	23.36	24.54	25.72	26.91	28.09	29.28	30.46	31.64	32.83	34.01	35.20	36.38	37.56	38.75	39.93	41.12	42.30
55 – 60%	17.48	18.66	19.84	21.03	22.21	23.40	24.58	25.76	26.95	28.13	29.32	30.50	31.68	32.87	34.05	35.24	36.42	37.60	38.79	39.97	41.16
50 – 55%	16.33	17.52	18.70	19.88	21.07	22.25	23.44	24.62	25.80	26.99	28.17	29.36	30.54	31.72	32.91	34.09	35.28	36.46	37.64	38.83	40.01
45 – 50%	15.19	16.37	17.56	18.74	19.92	21.11	22.29	23.48	24.66	25.84	27.03	28.21	29.40	30.58	31.76	32.95	34.13	35.32	36.50	37.68	38.87
40 – 45%	14.04	15.23	16.41	17.60	18.78	19.96	21.15	22.33	23.52	24.70	25.88	27.07	28.25	29.44	30.62	31.80	32.99	34.17	35.36	36.54	37.72
35 – 40%	12.90	14.08	15.27	16.45	17.64	18.82	20.00	21.19	22.37	23.56	24.74	25.92	27.11	28.29	29.48	30.66	31.84	33.03	34.21	35.40	36.58
30 – 35%	11.76	12.94	14.12	15.31	16.49	17.68	18.86	20.04	21.23	22.41	23.60	24.78	25.96	27.15	28.33	29.52	30.70	31.88	33.07	34.25	35.44
25 – 30%	10.61	11.80	12.98	14.16	15.35	16.53	17.72	18.90	20.08	21.27	22.45	23.64	24.82	26.00	27.19	28.37	29.56	30.74	31.92	33.11	34.29
20 – 25%	9.47	10.65	11.84	13.02	14.20	15.39	16.57	17.76	18.94	20.12	21.31	22.49	23.68	24.86	26.04	27.23	28.41	29.60	30.78	31.96	33.15
15 – 20%	8.32	9.51	10.69	11.88	13.06	14.24	15.43	16.61	17.80	18.98	20.16	21.35	22.53	23.72	24.90	26.08	27.27	28.45	29.64	30.82	32.00
10 – 15%	7.18	8.36	9.55	10.73	11.92	13.10	14.28	15.47	16.65	17.84	19.02	20.20	21.39	22.57	23.76	24.94	26.12	27.31	28.49	29.68	30.86
5 – 10%	6.04	7.22	8.40	9.59	10.77	11.96	13.14	14.32	15.51	16.69	17.88	19.06	20.24	21.43	22.61	23.80	24.98	26.16	27.35	28.53	29.72
0 – 5%	4.89	6.08	7.26	8.44	9.63	10.81	12.00	13.18	14.36	15.55	16.73	17.92	19.10	20.28	21.47	22.65	23.84	25.02	26.20	27.39	28.57